Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Revision date: ---

Version: 1.0

Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Commercial Product Name

- : Novacan 27N stabil 27-0-0
- Unique Formula Identifier (UFI) : 3Y00-T0WC-S007-34WY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Fertiliser and professional formulation of fertiliser products.Uses advised against: All other uses.

1.3 Details of the supplier of the safety data sheet

Company (Producer)

: KAVALA SOLUTIONS LTD 10th km. of the Kavala - Xanthi highway 64006 Nea Karvali Headquarters Address: Pentelis 34A 17564,Palaio Faliro, Attiki, Greece e-mail: info@kavalasolutions.com

: +30 2511830000

Telephone

1.4 Emergency telephone number

In case of medical emergencies, please contact your local poison control center. Company's Telephone: +30 2510 317127 and +30 2130 037616 (08:30 to 16:30)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) - CLP

Eye Irrit. 2

H319: Causes serious eye irritation.

2.2 Label elements CLP

Hazard pictograms:



Signal word

Warning

Hazard Statements:

H319

Causes serious eye irritation.

Precautionary Statements:

General:

Prevention:

P264: Wash ... thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Version: 1.0

Date of issue: 09/01/2025

Revision date: ---

Novacan 27N stabil 27-0-0

Response:P305+P351+P338: IF IN EYES: Rinse cautiously with water for several
minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P337+P313: If eye irritation persists: Get medical advice/attention.

Storage:

Disposal:

Hazardous components which must be listed on the label:

• Ammonium nitrate

2.3 Other hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Classified components according to EU Chemicals Legislation:

	CAS No			
Chemical name	EINECS No	Classification (1272/2008/EC)	Concentration [%]	
	Registration No	(1212/2000/20)	[,0]	
	6484-52-2		70 - 78 %	
Ammonium nitrate	229-347-8	Ox. Sol. 2, H272 Eye Irrit. 2, H319		
	01-2119490981-27-XXXX	Eye init. 2, 11513		
	10377-60-3		< 2 %	
Magnesium Nitrate	233-826-7	Ox. Sol. 3, H272		
	01-2119491164-38-XXXX	Eye Irrit. 2, H319		

Further information

The components in this formulation do not meet the criteria for classification according to Regulation (EC)No. 1907/2006 as PBT or vPvB.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
General advice	 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off contaminated clothing and shoes immediately.
If inhaled	 Avoid dust formation during use. Inhalation of dust may cause irritation of the respiratory system. In case of respiratory tract irritation, consult a physician.
In case of skin contact	: After contact with skin, first remove product with a dry cloth and then wash the skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse.
In case of eye contact	: In case of contact with eyes, rinse immediately with plenty

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Revision date: ---

Version: 1.0 Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

of flowing water for 10 to 15 minutes holding eyelids open.

In case of swallowing

: Typically no exposure pathway. If accidentally swallowed, rinse the mouth with plenty of water (only if the person is conscious) and ask immediately for medical help.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms upon:

- Inhalation: Cough, Headache, Sore throat
- Skin contact: Not a skin irritant
- **Eye contact:** Causes serious eye irritation.
- Ingestion: Abdominal pain, Convulsions, Diarrhoea, Dizziness, Vomiting, Weakness

4.3 Indication of any immediate medical attention and special treatment needed

Provide symptomatic treatment.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media		
Suitable extinguishing media	:	Water, water spray.
Unsuitable extinguishing media	:	Powder, foam or CO ₂ .
5.2 Special hazards arising from the sub	sta	ance or mixture
Specific hazards during firefighting	:	In case of a fire or decomposition involving various nitrogen-based fertilizers, hazardous decomposition products will be formed, such as: irritating, corrosive and/or toxic gases. Exposure to decomposition products may cause serious damage to health. No action shall be taken involving any personal risk or without suitable training. Keep away all personnel not involved in firefighting team. Approach the fire from upwind to avoid exposure to toxic fumes. If it is possible, move the product containers from the fire area without risk. Use self-contained breathing apparatus when entering fumes. For cooling of packages that are close to the fire area use: water spray.
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for incidents with chemical substances.
Further information	:	Attention! The product contains oxidizing agent at a rate below the classification limit (see section 3), which may intensify fire. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local authority requirements.

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Revision date: ---

Version: 1.0

Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Avoid inhalation of dust. Ensure sufficient ventilation especially in enclosed spaces.

Eliminate all ignition sources. Keep all unnecessary personnel away. Wear gloves and overalls. Do not touch or walk through spilt material.

6.2 Environmental precautions

Heavy spillage may cause adverse environmental impact in surface waters, such as eutrophication or contamination by nitrates. In case of contamination of rivers and lakes or drains, inform respective authorities.

Create mounds with suitable materials e.g. sand, to prevent molten ammonium nitrate from entering the drains.

6.3 Methods and material for containment and cleaning up

If it is possible stop leak of the product without risk. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

During cleanup, you should wear appropriate PPE, to prevent any skin/eye contact and inhalation of dust. Avoid creating dust during clean-up. Do not use compressed air to clean up spills.

Environmental manager must be informed immediately of all major spillages. Collect the uncontaminated dispersed product with a clean shovel and place the material into a clean, dry container/bag for re-use, ONLY if it is not contaminated by substances such as organic materials, metal powders, compounds containing chlorine and alkalis which may reduce the resistance of AN to explosion. Otherwise, carry out a risk assessment, as the risk depends on the nature and quantity of the contaminant.

Products which are out-of-specification or contaminated by incompatible materials (see 10.5), should be disposed of as hazardous waste according to national regulations.

6.4 Reference to other sections

Refer to section: 7, 8, 11, 12 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid eye and excessive skin contact. Use only with adequate ventilation. Wear personal protection equipment (Refer to section 8). Do not eat, drink or smoke when handling. Wash hands after handling.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition - No smoking. The risk of fire (or decomposition) can increase particularly if the product is spilled and contaminated with combustible materials such as coal, grain, sawdust, oil, grease or elemental sulphur.
Dust explosion class	:	Not applicable.
7.2 Conditions for safe storage, includir	ng ar	ny incompatibilities
Requirements for storage areas and containers	:	Store in accordance with local regulations. Store away from combustible materials. Handle bags with care. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10).

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Revision date: ---

Date of issue: 09/01/2025		Novision date.
	27	N stabil 27-0-0
		Doors of the warehouse should be kept closed unless for intake or outtake of product. Doors should be tight and other openings closed.
		Keep floors clean and dry. If spillage, sweep and clean immediately. Do not mix moist product (e.g. after spillage) into dry product.
		Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Advice on common storage	:	Separate from reducing agents, combustible or flammable materials. During storage the product must be protected from water and atmospheric humidity (rain, humid air, snow) at any time. Product that is damaged by humidity or water will form solid lumps, larger quantities can become very hard and granules transformed to powder.
		Product should be covered with polyethylene foil or similar during storage at any time unless for filling or emptying. The overlapping of the foils should be at least 0,5m. The foils should be fastened with sticks to prevent them sliding off. Do not expose the product to air more than necessary. Recover immediately when the operation is completed.
		Blends of Urea and ammonium nitrate containing products, such as CAN, are prohibited. Even traces of Urea left on the floor and mixed with CAN will soon form a solution when exposed to air. Keep away from food, drink and animal feedingstuffs.
Storage Temperature	:	Ambient temperature (5 - 30°C).
Other data	:	The product is hygroscopic.
7.3 Specific end use(s) Fertilizer.		

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Version: 1.0

Ingredients with exposure limit values that require monitoring at the workplace: Not required.

 DNEL/DMEL (for Chemical substance : Ammonium nitrate) WORKERS EXPOSURE: Long term exposure, DNEL inhalation route (systemic effects): 37,6 mg/m3 Long term exposure, DNEL dermal route (systemic effects): 21,3 mg/kg/day Long term, DNEL oral route (systemic effects): not applicable CONSUMERS EXPOSURE: Long term, DNEL inhalation route (systemic effects): 11,1 mg/m3 Long term, DNEL dermal route (systemic effects): 12,8 mg/kg/day Long term, DNEL oral route (systemic effects): 12,8 mg/kg/day

• PNECs (for Chemical substance : Ammonium nitrate)

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

Version: 1.0

Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

PNEC aqua (freshwater): 0,45 mg/L PNEC aqua (marine water): 0,045 mg/L PNEC aqua (intermittent releases): 4,5 mg/L PNEC sediment (freshwater):: No or insufficient data available at present PNEC sediment (marine water): No or insufficient data available at present PNEC soil: No or insufficient data available at present PNEC STP: 18 mg/L

 DNEL/DMEL (for Chemical substance : Magnesium nitrate) WORKERS EXPOSURE: Long term exposure, DNEL inhalation route (systemic effects): 20,8 mg/m3 Long term exposure, DNEL dermal route (systemic effects): 36,7 mg/kg/day

• PNECs (for Chemical substance : Magnesium nitrate)

PNEC aqua (freshwater): 0,45 mg/L PNEC aqua (marine water): 0,045 mg/L PNEC aqua (intermittent releases): 4,5 mg/L PNEC Sewage Treatment Plant (STP): 18 mg/L

8.2 Exposure controls

Appropriate engineering controls

Prevent generation of dust. Provide adequate ventilation in work and storage areas.

Personal protective equipment

Respiratory protection	:	Special respiratory protection measures are not required when applied under normal or reasonably foreseeable conditions of use and in a well ventilated area. In case of inadequate ventilation and/or dust formation wear respiratory protection. Recommended: half-mask for dust/particles (EN 149) or half-mask (EN 140) with filter type P1 or FFP1 for dust (EN 143).
Hand protection		
Material	:	Impervious chemical resistant protective gloves (EN 374, EN 420) and gloves for protection from mechanical risks (EN 388).
Glove thickness	:	
Break through time	:	
General remarks	:	Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
Eye/face protection	:	In case of splash risk. wear safety glasses with side- shields conforming to EN166.
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
<u>Hygiene measures</u>	:	 Recommended protection measures which should be taken into account, when handling chemicals: General practical hygiene measures. Do not breathe vapour /cloud /gas /dust. When using do not eat, drink or smoke. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Take off contaminated clothing and wash before reuse.

KAVALA SOLUTIONS

Revision date: ---

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Revision date: ---

Version: 1.0
Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

Environmental exposure controls

General advice

: Do not dispose into surface water or sanitary sewer system. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation.

Prevent further leakage or spillage if possible without risk. If the product contaminates rivers and lakes, inform respective authorities.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: Solid
Colour	: White
Odour	: Characteristic
Flash point	: The product itself is not flammable
Lower Flammable Limit	: Not applicable
Upper Flammable Limit	: Not applicable
Autoignition temperature	: The product is not self-ignited
Explosive properties	: There is no risk of explosion of the product
Lower explosive limit	: Not applicable
Upper explosive limit	: Not applicable
pH (20 °C)	: 6,8
Melting point / melting range (°C)	: No data available
Boiling point/boiling range (°C)	: Not applicable
Vapour pressure	: Not applicable
Density	: No data available
Bulk Density	
Loosed	: 1,022 kg/m ³
Tapped	: 1,107 kg/m³
Solubility in water	: Partially soluble in water
Solubility in other solvents	: No data available
Moisture content	:1 % max.
Partition coefficient n- octanol/water:	: No data available.

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Version: 1.0 Date of issue: 09/01/2025 Revision date: ---

Novacan	27N stabil 27-0-0
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Oxidising properties	: Not Oxidizing product.
	The product contains oxidizing agent at concentration >10% (see section 3) which may intensify fire.
Granulometry	: 2-5mm 90% min < 1mm 1% max.

9.2 Other information

Ammonium nitrate based fertilizers shall be classified in accordance with the procedure as set out in the Manual of Tests and Criteria, Part III, Section 39 (see section 14).

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Ammonium nitrate reacts with combustible substances, organic substances, fine metallic powders and reducing agents.

10.2 Chemical stability

The material is stable under normal conditions of use and storage and will not decompose spontaneously. Though, may decompose when heated. The risk of decomposition dependents upon the temperature of the heat source, the duration of exposure to the heat source and the containment of the fertilizer.

10.3 Possibility of hazardous reactions

If heated at very high temperatures over 170°C, ammonium nitrate may cause an explosion at any moment, especially if contaminated with combustible substances, organic substances, coal, oil, or if confined in closed spaces (pipes, containers, tankers with metallic walls).

The product is prone to chemical self-ignition when it comes into contact with readily oxidizing organic substances, finely divided metals, superphosphates.

10.4 Conditions to avoid

The product decomposes when heated. Avoid confined spaces.

10.5 Incompatible materials

Reducing agents, strong acids and bases, metallic powders, combustible materials, chromates, zinc, copper and its alloys, chlorates.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products will not be produced. May decompose when heated. Decomposition may release: potassium nitrite, oxygen, nitrogen oxides (NO, NO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Dangerous health implications

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits (see section 8), it may result in adverse effects on health depending on the means of exposure.

11.1.1. Ingestion:

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Version: 1.0

Revision date: ---

Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for ingestion (see section 3).

11.1.2. Inhalation:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation (see section 3).

11.1.3. Contact with the skin and the eyes:

Causes serious eye irritation. (see section 3).

11.1.4. <u>CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):</u> Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned (see section 3).

11.1.5. Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensibilizing effects (see section 3).

11.1.6. <u>Specific target organ toxicity (STOT)-single exposure:</u> Based on available data, the classification criteria are not met, as it does not contain substances classified

as dangerous for inhalation. (see section 3).

11.1.7. Specific target organ toxicity (STOT)-repeated exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified, as dangerous for inhalation (see section 3).

11.1.8. Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect (see section 3).

Given the available data of the individual components

<u>Acute toxicity (oral)</u> Ammonium nitrate Magnesium nitrate	 LD50 (oral-rat): 2.950 mg/kg (OECD 401) LD50 (oral-rat)> 2.000 mg/kg (OECD 423)
<u>Acute toxicity (inhalant)</u> Ammonium nitrate	: LC50/4 hours (inhalation-rat): 88,8 mg/L LD50 (static) (freshwater fish) 447 mg/L
Magnesium nitrate	: No data available
Acute toxicity (dermal) Ammonium nitrate Magnesium nitrate	 LD50 (dermal-rat): > 5.000 mg/kg (OECD 402) LD50 (dermal-rat): > 5.000 mg/kg (OECD 402)
Acute toxicity (other routes of administration) Ammonium nitrate Magnesium nitrate	No data availableNo data available
Skin corrosion/irritation Skin irritation Ammonium nitrate Magnesium nitrate	Does not cause skin irritationDoes not cause skin irritation
Serious eye damage/eye irritation Ammonium nitrate Magnesium nitrate	Causes eye irritationCauses eye irritation
Respiratory or skin sensitization Ammonium nitrate Magnesium nitrate	Does not cause any sensitizationDoes not cause any sensitization

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

Toxicity to daphnia and other aquatic invertebrates

Ammonium nitrate Magnesium nitrate

Toxicity to algae:

Ammonium nitrate Magnesium nitrate

Biodegradability

12.4 Mobility in soil

12.3 Bioaccumulative potential Bioaccumulation

12.2 Persistence and degradability

KAVALA SOLUTIONS

Version: 1.0 Revision date: ---Date of issue: 09/01/2025 Novacan 27N stabil 27-0-0 CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction) Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned (see section 3). STOT - single exposure Ammonium nitrate : Not classified Magnesium Oxide Not classified **STOT - repeated exposure** Ammonium nitrate Not classified Magnesium nitrate Not classified Aspiration hazard Aspiration toxicity Ammonium nitrate There are no harmful effects or critical hazards • There are no harmful effects or critical hazards Magnesium nitrate **Neurological effects** Ammonium nitrate : There are no harmful effects or critical hazards There are no harmful effects or critical hazards Magnesium nitrate **Toxicology Assessment** Toxicology, Metabolism, Distribution With proper handling the product does not cause any damage to health Acute effects With proper handling the product does not cause any damage to health **Further information** No data available. SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity Toxicity to the aquatic environment Ammonium nitrate : Hazardous to the aquatic environment - Class 1 (list assessment): slightly hazardous. It must not penetrate groundwater, discharge into the aquatic environment or sewage undiluted or in relatively large quantities. Magnesium nitrate : No data available

: EC50 (Daphnia) magna: 490 mg/kg

Not applicable for inorganic substances.

: No data available

: LC50: 1.700 mg/l

: No data available

5

10/13

: Low

Safety Data Sheet			
Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011			KAVALA SOLUTIONS
Version: 1.0			Revision date:
Date of issue: 09/01/2025	~ -		
	27	N stabil 27-0-0	
Surface tension		: No data availat	ble
12.5 Results of PBT and vPvB assessment The product does not meet the criteria for cla	-	ication as PBT or vPvB.	
12.6 Other adverse effects Additional ecological information		: Prevent surfact well as ground	e and ground-water infiltration, as I penetration.
SECTION 13: DISPOSAL CONSIDER	AT	IONS	
13.1 Waste treatment methods			
Advice on disposal and packaging The following Waste Codes are only suc Waste Code (EWC) Disposal of uncleaned packaging (EWC)	: <u>gge</u> : :	According to National ar not be disposed of with I appropriate waste code(user, based on the prod stions: <u>EWC disposal code no.</u> 06 10 02 wastes co (M) = Mirror entry <u>EWC disposal code no.</u> 15 01 10*(M) packaging contaminated by danger (M) = Mirror entry Note: After rinsing with p	s) should be assigned by the uct usage. (<u>unused product)</u> : ntaining dangerous substances (<u>uncleaned packaging)</u> : g containing residues of or
SECTION 14: TRANSPORT INFORMATION			
The product is not subject to international regulations governing the transport of dangerous goods (ADR/RID, IMDG, ICAO/IATA).			
Recommendation on transportation	:	water and atmospheric any time. Product that	e product must be protected from humidity (rain, humid air, snow) at is damaged by humidity or water arger quantities can become very formed to powder.
		carried out under dr discharge when there	of the product should only be y weather conditions. Do not is precipitation or heavy fog. t be dry and clean. The product

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

should be covered during transport.

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011

KAVALA SOLUTIONS

Revision date: ---

Version: 1.0 Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

Regulation (EC) No. 1907/2006 (REACH), Annex XVII -**Restrictions on use** : Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Applicable entry 58 Regulation (EC) No. 1907/2006 (REACH), Annex XIV -List of substances subject to authorization : Not applicable. VOC (1999/13/EC) Not applicable. Not applicable Seveso III - DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the control of major-accident hazards involving dangerous substances Acquisition, introduction, possession or use of this Regulation (EU) 2019/1148 on product by the general public is restricted by Regulation the marketing and use of (EU) 2019/1148. All suspicious transactions, and explosives precursors significant disappearances and thefts should be reported to the relevant national contact point (Hellenic Police, Tel: +302106914916, email: dka opla@police.gr)..

15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were carried out.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H272: May intensify fire; oxidiser.

H319: Causes serious eye irritation.

Revised points:

Acronyms and abbreviations

ADR: European Agreement concerning the International Carri	age of Dangerous Goods by Road (2015)
CAS No: Chemical Abstracts Service Number	
EmS: Emergency Schedules	
EINECS No: European Inventory of Existing Commercial Chemical S	ubstances Number
GHS: Globally Harmonized System of Classification and Labe	lling of Chemicals
IATA-DGR: International Air Transport Association's-Dangerous Go	ods R egulations (56 th edition)
ICAO-TI: International Civil Aviation Organization's-Technical Inst	tructions
IMDG Code: International Maritime Dangerous Goods Code (36th - 33	7 th amendment)
RID: Regulations Concerning the International Transport of D	Dangerous Goods by Rail

This Safety Data Sheet was elaborated on the basis of information provided by the manufacturer, as well as, suppliers of individual components and on the basis of data in publicly accessible databases.

All information provided herein is deemed reliable and is intended to ensure optimal protection during transport, handling and storage of our products.

However, the present should not be considered as a warranty or quality specification.

Department issuing MSDS:

KAVALA SOLUTIONS LTD Pentelis 34A, 175 64, Palaio Faliro, Attiki, Greece

12/13

Reg.: (EC) No 1907/2006 (REACH), (EU) No 453/2010, (EU) No 830/2015, (EU) No 542/2017, (EU) No 878/2020, (EC) No 1272/2008, (EC) No 790/2009, (EC) No 286/2011



Revision date: ---

Version: 1.0 Date of issue: 09/01/2025

Novacan 27N stabil 27-0-0

For information contact :

KAVALA SOLUTIONS LTD Pentelis 34A, 175 64, Palaio Faliro, Attiki, Greece Tel. : +30 2511830000 e-mail: <u>info@kavalasolutions.com</u>